

SAFE RELAX[®]

UNIQUE !

AUTOMATIC CROWN AND BRIDGE REMOVER



*Gentle, efficient
and quick*

anthogyr

A global solution for dental implantology

anthogyr

An effective, stress-free automatic system

Removal of a bridge or crown remains a delicate procedure. With these constraints in mind, anthogyr has developed the **SAFE RELAX**[®]. The intensity and frequency of the micro-strokes can be controlled to ensure enhanced comfort and results, letting you work in complete safety.

The **SAFE RELAX**[®] crown and bridge remover enables you to successfully carry out crown and bridge removals **without stress for the patient**.

- Its **unique non-reloading mechanism** fits onto all brands of electric and air motors.
- Its high-frequency micro-strokes make it **the fastest system in the world** : up to 20 movements per second !
- Porcelain is protected by the regular and controlled intensity of the micro-strokes.

The **SAFE RELAX**[®] comes with a wide range of inserts to suit all prosthesis configurations.

The main assets

SAFE RELAX[®] , GENUINE COMFORT FOR THE PATIENT

- New ergonomic design
- New one-click single attachment system !
- High-frequency of micro-strokes
- New intuitive intensity adjustment ring
- Non-reloading mechanism
- Genuine comfort for the patient !
- No damage to the porcelain : ATD system
- New packaging
- Fits any brand of electric or air motor
- Sterilization box for hooks and wire-tips (optional)

**UNIQUE !
NON-RELOADING
MECHANISM!**



GENTLE EFFICIENCY

HIGH-FREQUENCY EFFICIENCY → The **SAFE RELAX®** converts the motor's rotary motion into a series of ultra-fast micro-strokes. The recommended speed-range is between 5,000 and 25,000 rpm.
Maximum frequency of 20 micro-strokes per second !

THE COMFORT OF CONTROLLED INTENSITY → **5 progressive adjustments** of the force applied to the porcelain (**Fig. A**).
Total control of the force applied to the porcelain.
Non-stressful for the patient as no resonance is felt !



ERGONOMIC DESIGN → For improved grip of the instrument.

NON-RELOADING MECHANISM → Maintains a constant working axis and precise, continuous contact with the porcelain.

ONE-CLICK INSERT POSITIONING → The bayonet attachment lets you insert your hook or wire-tip in a single hand movement (**Fig. B**). Eliminates the risk of inserts unscrewing !



Fig. C



Fig. D

ATD WIRE-TIPS SYSTEM

These are essentially recommended for bridge removal, they are inserted into interdental spaces (**Fig. C and D**).

Bridge protection.

Safety : wire-tips provide sturdy support (no risk of it slipping).


Working along the tooth axis : reducing the risk of root fracture.

Ease of crown removal.

SIMPLE AND RAPID OPERATING MECHANISM IN 4 EASY STEPS



1



2



3



4

1. Attach hook to your **SAFE RELAX®** with a single click.

2. Fix your **SAFE RELAX®** onto the electrical or air motor of your unit.

3. Position the insert on the porcelain.

4. Press the motor pedal: a simple traction motion sets off a series of ultra-fast micro-strokes, with adjustable intensity and frequency. The micro-strokes stop as soon as traction is released or the motor stops.

For more information, watch our video on www.anthogyr.com


Description and product references

Kit Ref. 6961C (picture below)

→ **SAFE RELAX®** + 4 hooks + 2 single and 1 double wire-tips.

Kit Ref. 6950C

→ **SAFE RELAX®** + 4 hooks.



Sterilization box Ref. 5932 (picture above)

→ Optional for hooks and wire-tips



Bayonet attachment system !

- 1 **Elbow hook** for crowns on posterior teeth, Ref. 5928
- 2 **Flat hook with non-slip grooves** for crowns on anterior teeth, Ref. 5929
- 3 **Hook** for crowns on premolars, Ref. 5927
- 4 **Edge hook** for bridges, Ref 5925
- 5 **50 mm wire-tip** for bridges* | Ref. ATD 012
60 mm wire-tip for bridges*
- 6 **95 mm ceramic wire-tip** for ceramic bridges of 3 or 4 elements**, Ref. ATD 022
- 7 **Screw for wire-tip**, Ref. ATD 080
- 8 **Screwdriver for wire-tip**, Ref. ATD 082

* for 50 mm and 60 mm wire-tips, a spare cable is included in the kit.

** for ceramic wire-tip, a 150 mm cable is included in the kit.

anthogyr

A global solution for dental implantology

2 237 Avenue André Lasquin 74700 Sallanches - France
 Phone : +33 (0)4 50 58 02 37 - Fax : +33 (0)4 50 93 78 60
 Email : sales@anthogyr.com

www.anthogyr.com

anthogyr Inc.
 3495 Piedmont Rd, Building 11 Suite 710
 Atlanta GA, 30305
 Office (404) 495 - 5982
 Email : mike.foley.sales@anthogyr.com



Watch the new video introducing **SAFE RELAX®** on www.anthogyr.com